

4

DYNAMICS STAND

This 130-foot stand is equipped with electro-magnetic shake devices which can simulate forces encountered on lift-off and space missions.

Research tests have been run here on the Atlas-Centaur-Surveyor combination, and information from these tests will help to insure the success of the surveyor project which is to soft-land an instrument package on the moon.

NASA LEWIS RESEARCH CENTER - PLUM BROOK STATION
SANDUSKY, OHIO

JANUARY, 1969



GROUND FLOOR



PLAN @ ELEV. 20'-0"

REF. DRWG. PF-23065

N

8 0 8 16
SCALE 1/16" = 1'-0"

E SITE TEST BUILDING

BUILDING NO.
2411



PLAN @ ELEV. 40'-0"
REF. DRWG. PF-23065



PLAN @ ELEV. 60'-0"
REF. DRWG. PF-23066



PLAN @ ELEV. 80'-0"
REF. DRWG. PF-23066

E SITE TEST BUILDING

BUILDING NO.
2411

N

8 0 8 16
SCALE 1/16" = 1'-0"

NASA LEWIS RESEARCH CENTER - PLUM BROOK STATION
SANDUSKY, OHIO

JANUARY, 1969



PLAN @ ELEV. 93'-6"



PLAN @ ELEV. 102'-4"



PLAN @ ELEV. 117'-0"

REF. DRWG. PF-23066



E SITE TEST BUILDING

BUILDING NO.
2411



E SITE SHOP BUILDING AND BOILER HOUSE

BUILDING NO. & STRUCTURE NO.

2421 & 2431